

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

285-3


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A45D 8/36, A41D 20/00		A1	(11) International Publication Number: WO 98/30124
			(43) International Publication Date: 16 July 1998 (16.07.98)
(21) International Application Number: PCT/AU 98/00010		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 9 January 1998 (09.01.98)		<p>Published With international search report</p>	
(30) Priority Data: PO 4502 9 January 1997 (09.01.97) AU PO 6268 17 April 1997 (17.04.97) AU			
(71) Applicant (for all designated States except US): LICE BUSTERS INTERNATIONAL PTY. LTD. [AU/AU], Unit 4, 77 Howe Street, Osborne Park, W.A. 6017 (AU).			
(72) Inventor; and (75) Inventor/Applicant (for US only): ROBINSON, Veronica [GB/AU], Unit 4, 77 Howe Street, Osborne Park, W.A. 6017 (AU).			
(74) Agent: VAN WOLLINGEN, Rolf, Griffiths Hack, 256 Adelaide Terrace, Perth, W.A. 6000 (AU).			

(54) Title: INSECT REPELLENT SUBSTRATE FOR HEADWEAR

(57) Abstract

An insect repellent substrate (10) includes a fabric base material (12) made of felt which is impregnated with a repellent carrier composition (14). The carrier composition (14) includes a mixture of wax and a naturally occurring insect repellent such as pyrethrum oil. The carrier composition (14) may also include scented or aromatic oils such as citronella oil, rosemary oil, eucalyptus oil and neem oil. Strips of the fabric base material may be attached to headwear such as a headband or cap so that it is in contact with the wearer's hair or body. Active constituents of the carrier composition (14) provide effective treatment and prevention of headlice and other parasitic insects.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

INSECT REPELLENT SUBSTRATE FOR HEADWEARFIELD OF THE INVENTION

The present invention relates to an insect repellent substrate for repelling lice and the like insects, and relates particularly, though not exclusively, to headwear having a strip of said insect repellent substrate provided in connection therewith.

BACKGROUND TO THE INVENTION

Infestations of headlice and other parasitic insects are a perennial problem, particularly in schools where the lice are easily transmitted from child to child. Up to the present time there has been very little that one can do to prevent a child from being infected with headlice. Regular inspection to identify nits, which are the eggs of lice, is the only way to detect an infestation. Treatment includes combing the hair with a fine-toothed comb and/or washing the hair with a special shampoo which contains chemical substances designed to kill the lice and nits.

However, the shampoos that are currently available to treat headlice typically contain harsh synthetic chemicals such as permethrium, piperonyl butoxide and organophosphates which have been known to cause skin irritation. In the United Kingdom across the counter sales of shampoos containing organophosphates have recently been banned because of health concerns.

A further disadvantage with shampoos is that they only treat the hair at the time of use. They do not prevent the child from being re-infected when he/she returns to school.

SUMMARY OF THE INVENTION

The present invention was developed with a view to providing a lice repellent substrate suitable for headwear that can kill any lice present in the hair as well as preventing any further infestation of headlice. Although the present

- 2 -

invention will be described primarily in relation to the treatment and prevention of lice infestation, it is to be understood that it also has application to the treatment and/or prevention of infestations of other parasitic insects such as fleas. Furthermore, although the insect repellent substrate is particularly suitable for headwear it may also have applications such as, for example, under a pillow at night.

According to one aspect of the present invention there is provided an insect repellent substrate for repelling lice and the like insects, the substrate comprising:

a piece of fabric base material impregnated with a repellent carrier composition, the carrier composition including a mixture of wax and an insect repellent whereby, in use, the carrier composition provides a controlled release of the insect repellent from the fabric base material.

Preferably the insect repellent is a naturally occurring compound. More preferably the insect repellent includes an extract from the pyrethrum flower. Most preferably the insect repellent is pyrethrum oil. Advantageously the carrier composition further includes one or more scented or aromatic oils. More preferably the carrier composition includes citronella oil and rosemary oil, which are also mild insect repellents. Preferably the carrier composition further includes neem oil, a naturally occurring insect repellent.

Typically the wax is a paraffin wax. Alternatively, the wax is beeswax obtained from honeycomb of the bee.

Preferably the carrier composition includes between 0.5% to 6.0% by volume of pyrethrum. Preferably the carrier composition includes between 0.5% to 4.0% citronella oil. Preferably the carrier composition includes between 0.5% to

- 3 -

5.0% rosemary oil. Preferably the carrier composition includes between 3.0% to 9.0% neem oil. Preferably the carrier composition also includes between 0.5% to 6.0% eucalyptus oil.

- 5 Most preferably the carrier composition includes 30 mls of pyrethrum (50% w/w), 20 mls of citronella, 25 mls of rosemary and 45 mls of neem oil to every one litre of wax. Preferably the fabric base material is a felt material; most preferably a polyester/cotton blend felt material.
- 10 According to another aspect of the present invention there is provided a method of manufacturing an insect repellent substrate for repelling lice and the like insects, the method comprising the steps of:

- producing a repellent carrier composition by:
- 15 heating a wax to a liquid state; and,
mixing an insect repellent with the liquid wax;

- dipping a piece of fabric base material into the carrier composition whilst still in the liquid state for a
- 20 sufficient length of time to allow the base material to absorb some of the carrier composition; and,

- allowing the impregnated piece of base material to cool so that the carrier composition solidifies on the base material whereby, in use, the carrier composition provides a
- 25 controlled release of the insect repellent from the fabric base material.

- Preferably the insect repellent is a naturally occurring compound. More preferably the insect repellent includes an extract of the pyrethrum flower. Most preferably the insect
- 30 repellent includes pyrethrum oil.

- 4 -

Preferably the step of producing the repellent carrier composition further includes mixing one or more scented or aromatic oils with the liquid wax. Most preferably the scented oils include citronella oil and rosemary oil, which are also mild insect repellents.

Preferably the step of producing the carrier composition further includes mixing neem oil with the liquid wax.

According to a still further aspect of the present invention there is provided a garment having an insect repellent substrate for repelling lice and the like insects provided in connection therewith, the garment comprising:

a piece of fabric base material impregnated with a repellent carrier composition and attached to the garment in a manner that will ensure contact with the wearer's hair or body, the carrier composition including a mixture of wax and an insect repellent whereby, in use, the carrier composition provides a controlled release of the insect repellent from the fabric base material.

Typically the garment is an item of headwear such as, for example, a headband, hat or a cap. Alternatively the garment is an animal garment, such as, for example, a flea collar or a coat.

BRIEF DESCRIPTION OF THE DRAWINGS

In order to facilitate a better understanding of the nature of the invention a preferred embodiment of the insect repellent substrate will now be described in detail, by way of example only, with reference to the accompanying drawings, in which:

Figure 1 illustrates a typical piece of insect repellent substrate in accordance with the invention;

- 5 -

Figure 2 illustrates a headband having a strip of the insect repellent substrate of Figure 1 attached thereto;

Figure 3 illustrates a strip of insect repellent substrate in accordance with the invention having a strip of hook and loop fastener material fixed thereto; and,

Figure 4 illustrates a baseball cap having several strips of the insect repellent substrate illustrated in Figure 3 attached thereto.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

10 A preferred embodiment of the insect repellent substrate 10 as shown in Figure 1 comprises a piece of fabric base material 12 impregnated with a repellent carrier composition 14. Any suitable fabric base material may be employed. In the preferred embodiment the fabric base material is a felt material. A felt material made from a cotton and polyester blend was found to be most suitable. The fabric base material 12 should preferably be sufficiently absorbent to absorb the carrier composition 14 in a liquid state whilst retaining a degree of flexibility when impregnated with the carrier composition 14 in its solid state.

The repellent carrier composition 14 includes a mixture of wax and an insect repellent. In this embodiment the wax is a paraffin wax, although a naturally occurring wax such as beeswax obtained from honeycomb of the bee may also be used. The wax typically has a melting point of between 60°C to 65°C. The insect repellent employed in the carrier composition is preferably a naturally occurring compound. In the preferred embodiment the insect repellent includes an extract from the pyrethrum flower. Pyrethrins, the active constituent of pyrethrum flowers, are commonly used as a contact insecticide in fly-sprays. Pyrethrins are noted for the very rapid paralysis (knock-down) effect produced on flies, mosquitoes and other insects. Chemically modified

- 6 -

pyrethrins, such as permethrins, have greater persistence and other commercially desirable properties. In the present invention, it is preferred to use the naturally occurring pyrethrum pale extract from pyrethrum flowers grown in Kenya. Typically, a diluted pyrethrum solution (50% w/w PBK) in an odourless isoparaffin solvent is used. Typically between 0.5% to 6.0% by volume of the pyrethrum oil solution is employed in the repellent carrier composition.

Advantageously the carrier composition 14 also includes one or more scented or aromatic oils. The addition of scented or aromatic oils is desirable in order to give the repellent carrier composition a pleasant aroma or scent. In addition, selected naturally occurring scented oils, such as citronella oil, rosemary oil and eucalyptus oil act as mild insect repellents and/or have other medicinal qualities. Thus, for example, rosemary oil is a mild insect repellent and is also thought to help to relieve headaches. Citronella oil also acts as an insect repellent and provides a fresh citrus aroma. It also helps to dry up congestion of the nasal passages. Eucalyptus oil is an antiseptic and eucalyptus vapours act to relieve congestion and breathing difficulties through the nasal passages.

The carrier composition preferably also includes neem oil extracted from the neem tree, which is a long-lasting insect repellent. Through extensive experimentation the inventor has found that the repellent carrier composition should preferably include a mixture of between 0.5% to 4.0% by volume citronella oil, 0.5% to 5.0% by volume rosemary oil and 3.0% to 9.0% neem oil together with 0.5% to 6.0% by volume of pyrethrum. These proportions were found to give the carrier composition sufficient active components to kill any lice or nits present, balanced with the repellent and aromatic properties of the constituents. A carrier composition which includes 30 mls of pyrethrum (50% w/w), 20 mls of citronella, 25 mls of rosemary and 45 mls of neem

oil to every one litre of wax has been found to be particularly effective.

The wax in the carrier composition 14 provides a controlled release of the insect repellent from the fabric base material 12. In use, the base material 12 may be sewn on the inside of a garment in a manner that will ensure contact with the wearer's hair or body. For example, a strip 16 of the insect repellent substrate may be sewn to the inside of a headband 13 as shown in Figure 2. Strips of the impregnated felt material are cut to various sizes, ranging from 20 cm to 24 cm in length and from 2.5 cm to 5.0 cm in width, are sewn into stretchy cotton fabric to form the headband. Alternatively, strips of the impregnated felt may be sewn onto or adhered to an existing headband. When the headband 18 is worn on the wearer's head the strip 16 of insect repellent substrate will be in contact with the wearer's hair. The body temperature of the wearer will cause the wax in the substrate to soften allowing the active and aromatic constituents of the repellent carrier composition to be slowly released onto the wearer's hair and scalp. The controlled and continuous release of active constituents onto the wearer's hair and scalp not only kills any existing headlice and/or nits but also prevents any further infestation. In use, the strip 16 of insect repellent substrate has been found to provide effective treatment and prevention of headlice for approximately 6 to 8 weeks. After this length of time most of the active constituents of the repellent carrier composition are found to have leached out or evaporated from the fabric base material.

The insect repellent substrate 10 is relatively simple and inexpensive to manufacture. Typically, strips of the felt material are cut to size and dipped in a preheated (to approximately 70°C) wax solution containing the pyrethrum, citronella, rosemary and neem oil in the proportions noted above. The pyrethrum oil, citronella oil, rosemary oil and

- 8 -

neem oil are simply added to the melted wax and readily mix with the wax in view of their oily composition. The felt strips absorb the wax solution after two or three minutes and then the impregnated felt strips are allowed to cool so that the wax solution solidifies on the felt fabric. After approximately two minutes of cooling the impregnated felt strips are ready to be attached to any suitable garment. The strips of insect repellent substrate may be attached to the garment using any appropriate fastening, for example, by sewing, an adhesive or using a hook and loop fastener system such as Velcro (registered trade mark).

Figure 3 illustrates a strip 20 of the insect repellent substrate having a strip of hook and loop fastener material 22 fixed thereto. One part of the hook and loop fastener is glued to the felt base material 10 and the other part can be attached to a garment by sewing or using a suitable self-adhesive. A baseball cap 24 is illustrated in Figure 4 (shown upside down) having several strips 20 of the insect repellent substrate attached to an inside surface of the cap where they will be in direct contact with the hair and/or scalp of the wearer. Similar strips of the insect repellent substrate can be attached to suitable animal garments, such as a flea collar worn by pet dogs and cats or on the bridle or protective coat worn by horses, sheep and other livestock. In this connection, the repellent properties of the active constituents of the repellent carrier composition have also been found to repel flies and mosquitoes.

A piece of the insect repellent substrate 10 may also be used as a "night breather" to reduce congestion and aid breathing during sleep. A carrier composition containing 30 mls by volume of citronella, 20 mls by volume of rosemary, 30 mls by volume of eucalyptus and 5 mls by volume of pyrethrum to every litre of wax, has been found particularly effective as a night breather. A piece of the insect repellent substrate approximately 20 cm x 14 cm is placed in the pillowcase or

- 9 -

under the bottom sheet next to the mattress at the head of the bed. The night breather has also been found to relieve snoring in many cases. In this application, the insect repellent substrate 10 may also act to treat and prevent bed infestations of lice, fleas and dust mite.

Now that a preferred embodiment of the insect repellent substrate has been described in detail, it will be apparent that it has several advantages over the prior art methods of treating headlice, including but not limited to the following advantages:

- (a) it provides immediate treatment as well as long-lasting prevention;
- (b) the naturally occurring repellents employed are less hypo-allergenic and more environmentally friendly than the prior art synthetic compounds;
- (c) the scented or aromatic oils produces a fresh herbal aroma;
- (d) it is relatively simple and inexpensive to manufacture; and,
- (e) it is inconspicuous and can be easily attached to commonly worn headwear by children, who are particularly self-conscious about such things.

Numerous variations and modifications to the described embodiment will suggest themselves to persons skilled in the art, in addition to those already described, without departing from the basic inventive concepts. For example, other types of suitable fabric base material may be employed. All such variations and modifications are to be considered within the scope of the present invention, the nature of which is to be determined from the foregoing description and

- 10 -

the appended claims.

- 11 -

THE CLAIMS DEFINING THE PRESENT INVENTION ARE AS FOLLOWS:

1. An insect repellent substrate for repelling lice and the like insects, the substrate comprising:

5 a piece of fabric base material impregnated with a repellent carrier composition, the carrier composition including a mixture of wax and an insect repellent whereby, in use, the carrier composition provides a controlled release of the insect repellent from the fabric base material.

10 2. An insect repellent substrate as defined in claim 1, wherein the insect repellent is a naturally occurring compound.

3. An insect repellent substrate as defined in claim 2, wherein the insect repellent includes an extract from the pyrethrum flower.

15 4. An insect repellent substrate as defined in claim 2, wherein the insect repellent is a pyrethrum solution.

5. An insect repellent substrate as defined in claim 1, wherein the carrier composition further includes one or more scented or aromatic oils.

20 6. An insect repellent substrate as defined in claim 5, wherein the carrier composition includes citronella oil and rosemary oil, which are also mild insect repellents.

25 7. An insect repellent substrate as defined in claim 2, wherein the carrier composition further includes neem oil, a naturally occurring insect repellent.

8. An insect repellent substrate as defined in claim 1, wherein the wax is a paraffin wax.

- 12 -

9. An insect repellent substrate as defined in claim 4, wherein the carrier composition includes between 0.5% to 6.0% by volume of pyrethrum.
- 5 10. An insect repellent substrate as defined in claim 9, wherein the carrier composition includes between 0.5% to 4.0% citronella oil.
11. An insect repellent substrate as defined in claim 10, wherein the carrier composition includes between 0.5% to 5.0% rosemary oil.
- 10 12. An insect repellent substrate as defined in claim 11, wherein the carrier composition includes between 3.0% to 9.0% neem oil.
- 15 13. An insect repellent substrate as defined in claim 12, wherein the carrier composition also includes between 0.5% to 6.0% eucalyptus oil.
14. An insect repellent substrate as defined in claim 13, wherein the carrier composition includes 30 mls of pyrethrum (50% w/w), 20 mls of citronella, 25 mls of rosemary and 45 mls of neem oil to every one litre of wax.
- 20 15. An insect repellent substrate as defined in claim 1, wherein the fabric base material is a felt material.
16. An insect repellent substrate as defined in claim 15, wherein the fabric base material is a polyester/cotton blend felt material.
- 25 17. A method of manufacturing an insect repellent substrate for repelling lice and the like insects, the method comprising the steps of:

producing a repellent carrier composition by:

- 13 -

heating a wax to a liquid state; and,
mixing an insect repellent with the liquid
wax;

5 dipping a piece of fabric base material into the
carrier composition whilst still in the liquid state for a
sufficient length of time to allow the base material to
absorb some of the carrier composition; and,

10 allowing the impregnated piece of base material to
cool so that the carrier composition solidifies on the base
material whereby, in use, the carrier composition provides a
controlled release of the insect repellent from the fabric
base material.

18. A method of manufacturing an insect repellent
substrate as defined in claim 17, wherein the insect
15 repellent is a naturally occurring compound.

19. A method of manufacturing an insect repellent
substrate as defined in claim 18, wherein the insect
repellent includes an extract of the pyrethrum flower.

20. A method of manufacturing an insect repellent
20 substrate as defined in claim 19, wherein the insect
repellent includes a pyrethrum solution.

21. A method of manufacturing an insect repellent
substrate as defined in claim 17, wherein the step of
producing the repellent carrier composition further includes
25 mixing one or more scented or aromatic oils with the liquid
wax.

22. A method of manufacturing an insect repellent
substrate as defined in claim 21, wherein the scented oils
include citronella oil and rosemary oil, which are also mild
30 insect repellents.

- 14 -

23. A method of manufacturing an insect repellent substrate as defined in claim 17, wherein the step of producing the carrier composition further includes mixing neem oil with the liquid wax.

- 5 24. A garment having an insect repellent substrate for repelling lice and the like insects provided in connection therewith, the garment comprising:

10 a piece of fabric base material impregnated with a repellent carrier composition and attached to the garment in a manner that will ensure contact with the wearer's hair or body, the carrier composition including a mixture of wax and an insect repellent whereby, in use, the carrier composition provides a controlled release of the insect repellent from the fabric base material.

- 15 25. A garment having an insect repellent substrate as defined in claim 24, wherein the garment is an item of headwear.

1/2




FIG. 1.




FIG. 2.

2/2




FIG. 3.




FIG. 4.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/AU 98/00010**A. CLASSIFICATION OF SUBJECT MATTER**Int Cl⁹ A45D 8/36, A41D 20/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC A45D 8/36, A41D 20/00, A01K 27/00, A01K 13/00, A01M 1/20, C11C 5/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
AU: IPC as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPAT (INSECT OR REPEL) AND WAX

JAPIO (INSECT OR REPEL) AND WAX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X Y Y	Derwent Abstract Accession No. 84-303057/49, Class P14 JP 59-187722 A (EARTH SEIYAKU KK) 24 November 1984	1-4, 8-9, 15-20 5, 10, 13, 21, 24 24, 25
X Y	Derwent Abstract Accession No. 84-051553/09, Class P14P32 JP 59-008956 A (EARTH SEIYAKU KK) 18 January 1984	1-4, 8-9, 15-20, 24, 25 5, 10, 13, 21, 24

☒ Further documents are listed in the
continuation of Box C☐ See patent family annex

* Special categories of cited documents

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claims or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search
10 February 1998

Date of mailing of the international search report

25 FEB 1998

Name and mailing address of the ISA/AI
AUSTRALIAN INDUSTRIAL PROPERTY ORGANISATION
PO BOX 290
WODEN AC1 2606
AUSTRALIA Facsimile No. (02) 6285 3929

Authorized officer

EDWARD MILLER

Telephone No. (02) 6283 2188

INTERNATIONAL SEARCH REPORT

International Application No
PCT/AU 98/00010

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
Y		24, 25
Y	US 5465689 A (WINDER) 14 November 1995 column 2 line 63 - column 3 line 22	5, 10, 13, 21, 24
Y	Derwent Abstract Accession No 97-038432/04, Class P21 JP 08-296171 A (FUKUSUKE CORP) 12 November 1996	24, 25